

i x

**ダウンロードを開始**  
スタート. 無料ダウンロー. 高速かつ無料


- Home**
- News
- Nano Databases
- Nano Catalog
- Nano Jobs
- Resources
- Introduction to Nanotechnology

簡単操作のマイコンライター - オンボードプログラマ 開く  
 ⓘ 手のひらサイズで簡単操作。高速書込み対応・PCインターフェース  
 ✕ USB転送 iforcom.jp

Feb 10, 2020

## Smallest all-digital circuit opens doors to 5 nm next-gen semiconductor

(*Nanowerk News*) Scientists at Tokyo Institute of Technology (Tokyo Tech) and Socionext Inc. have designed the world's smallest all-digital phase-locked loop (PLL) ("[A Fully-Synthesizable Fractional-N Injection-Locked PLL for Digital Clocking with Triangle/Sawtooth Spread-Spectrum Modulation Capability in 5-nm CMOS](#)"). PLLs are critical clocking circuits in virtually all digital applications, and reducing their size and improving their performance is a necessary step to enabling the development of next-generation technologies.



*The entire all-digital PLL fits in a 50 × 72 µm<sup>2</sup> region, making it the smallest PLL to date. (Image: Kenichi Okada)*

New or improved technologies, such as artificial intelligence, 5G cellular communications, and the Internet-of-Things, are expected to bring revolutionary changes in society. But for that to happen, high-performance system-on-a-chip (SoC)--a type of integrated circuit--devices are indispensable.

A core building block of SoC devices is the phase-locked loop (PLL), a circuit that synchronizes with the frequency of a reference oscillation and outputs a signal with the same or higher frequency. PLLs generate 'clocking signals', whose oscillations act as a metronome that provides a precise timing reference for the harmonious operation of digital devices.

For high performance SoC devices to be realized, fabrication processes for semiconductor electronics must become more sophisticated. The smaller the area to implement digital circuitry is, the better the performance of the device.

Manufacturers have been racing to develop increasingly smaller semiconductors. 7 nm semiconductors (a massive improvement over their 10 nm predecessor) are already in production, and methods to build 5 nm ones are now being looked at.

However, in this endeavor stands a bulky and have designs that are dif

✕

**Never miss an article!**  
 Subscribe to one of our newsletters for the topic of your choice and get all new posts by email once a day. No spam ever. Promise!

[Sign me up!](#)

Scientists at Tokyo Tech and Socionext Inc., led by Prof. Kenichi Okada, have addressed this issue by implementing a 'synthesizable' fractional-N PLL, which only requires digital logic gates, and no bulky analog components, making it easy to adopt in conventional miniaturized integrated circuits.

Okada and team used several techniques to decrease the required area, power consumption and jitter--unwanted time fluctuations when transmitting digital signals--of their synthesizable PLLs. To decrease area, they employed a ring oscillator, a compact oscillator that can be easily scaled down.

To suppress jitter, they reduced the phase noise--random fluctuations in a signal--of this ring oscillator, using 'injection locking'--the process of synchronizing an oscillator with an external signal whose frequency (or multiple of it) is close to that of the oscillator--over a wide range of frequencies. The lower phase noise, in turn, reduced power consumption.

The design of this synthesizable PLL beats that of all other current state-of-the-art PLLs in many important aspects. It achieves the best jitter performance with the lowest power consumption and smallest area.

"The core area is 0.0036 mm<sup>2</sup>, and the whole PLL is implemented as one layout with a single power supply," remarks Okada. Further, it can be built using standard digital design tools, allowing for its rapid, low-effort, and low-cost production, making it commercially viable.

This synthesizable PLL can be easily integrated into the design of all-digital SoCs, and is commercially viable, making it valuable for developing the much sought after 5 nm semiconductor for cutting-edge applications including artificial intelligence, internet of things and many others, where high performance and low power consumption would be the critical requirements. But the contributions of this research go beyond these possibilities.

"Our work demonstrates the potential of synthesizable circuits. With the design methodology employed here, other building blocks of SoCs, such as data converters, power management circuits, and wireless transceivers, could be made synthesizable as well. This would greatly boost design productivity and considerably reduce design efforts," explains Okada.

Tokyo Tech and Socionext will continue their collaboration in this field to advance the miniaturization of electronic devices, enabling the realization of newer-generation technologies.

*Source: Tokyo Institute of Technology*


Subscribe to a free copy of one of our daily **Nanowerk Newsletter Email Digests** with a compilation of all of the day's news.



These articles might interest you as well:

**Never miss an article!**

Subscribe to one of our newsletters for the topic of your choice and get all new posts by email once a day. No spam ever. Promise!

 Sign me up!

簡単操作のマイコンライター  
- オンボードプログラマ

Ad iforcom.jp

**ダウンロードを開始**  
スタート. 無料ダウンロード. 高速かつ無料

InternetSpeedRadar

The science and engineering of quantum...

nanowerk.com

Laser diode drivers - Laser diode controllers

Ad 4lasers.com

**Research News**

(click here for Business News)

**Quantum dot lasers move a step closer with...**

nanowerk.com

**RPA導入が失敗するワケ**

Ad アステリア株式会社

**Graphene appears to be the most effective...**

nanowerk.com

- Smart contact lens has potential to improve sight for manyA green chemistry preparation of fullerene filmsCellulose nanomaterials could make renewable energy cheaper  
Feb 19, 2020
- New world record for the conversion of solar energy to electricity using quantum dotsAn early warning system for damage in composite materials  
Feb 19, 2020
- Improving the electrical and mechanical properties of carbon-nanotube-based fibersTime-resolved measurement in a memory device  
Feb 19, 2020
- Topological materials outperform through quantum periodic motionHighly sensitive sensors show promise in enhancing human touch  
Feb 18, 2020
- Ultrasound device improves charge time and run time in lithium batteriesSuper sensitive nanomaterials for DNA diagnostics and targeted drug delivery  
Feb 18, 2020
- Flat lens gets ahead of the optical curveCreating custom light using 2D materialsPower sources for smart contact lensesAir-powered generator creates electricity 'out of thin air'  
Feb 18, 2020
- Fast-charging, long-running, bendy graphene energy storage breakthroughThe origins of roughnessLight moves spins around  
Feb 17, 2020
- New nanocatalyst recycles greenhouse gases into fuel and hydrogen gasVan der Waals magnets, a material for future semiconductors  
Feb 17, 2020
- Does graphene cause or prevent the corrosion of copper? New study settles the debateScientists propose new properties in hollow multishell structure  
Feb 15, 2020
- Ultrafast switching of an optical bitCatalyst deposition on fragile chipsSkyrmions like it hot: Spin structures are controllable even at high temperatures  
Feb 14, 2020
- A fast light detector made of two-dimensional materialsNew nanosensor detects cancer biomarkers in drop of blood  
Feb 13, 2020

**...MORE NANOTECHNOLOGY RESEARCH NEWS**

**Subscribe to our daily newsletter Free!**

**Alphacen 300**

The tip-scanning AFM for heavy and large samples up to 300 mm

**Never miss an article!**

Subscribe to one of our newsletters for the topic of your choice and get all new posts by email once a day. No spam ever. Promise!

**Sign me up!**



Follow @Nanowerk

[Home](#) | [Privacy](#) | [Cookies](#) | [Terms of use](#) | [Contact us](#) | [What is Nanotechnology?](#) | [Sitemap](#) | [Advertise](#) | [Submit news](#)

The contents of this site are copyright ©2020 Nanowerk. All Rights Reserved



**Never miss an article!**

Subscribe to one of our newsletters for the topic of your choice and get all new posts by email once a day. No spam ever. Promise!

 [Sign me up!](#)